



90° PARKING
 NOTE: FOR RESIDENTIAL USES 90° STALLS SHOULD BE 10' WIDE



DIMENSION TABLE

		PARALLEL	30°	45°	60°	90°
TURNAROUND	A		17'	14'	14'	14'
CAR SPACE	B	24.0'	18'	12.7'	10.4'	9'
STALL DEPTH	C	9.0'	14.3'	17.8'	19.0'	17'
STALL DEPTH	D	9.0'	17.3'	19.8'	21.0'	19'
OVERHANG	E		2.0'	2.0'	2.0'	2.0'
ACCESS WAY	F	12'	13'	16.3'	19'	25'

* FRONT YARD & STREET SIDE YARD SETBACKS - SEE ZONING CODE



HERRINGBONE PATTERN - TYPE "B"
 DIMENSIONS DEPEND UPON PARKING ANGLE

DRIVEWAY STANDARDS

- (1) SEE ZONING CODE FOR DRIVEWAY WIDTHS WITHIN DEVELOPMENT
- (2) SEE STANDARD DETAIL 105 FOR DRIVEWAY REQUIREMENT AT STREET




DEPARTMENT OF CITY SERVICES


APPROVED _____ DATE _____

STANDARD DETAIL 601


Off Street Parking
 Layout



PERPENDICULAR PARKING



DIAGONAL PARKING



PARALLEL PARKING

NOTES
SIGN
- 70 SQ inches (7x10)
- Ht. 36" or 80"
if in path of travel
- Locate at front of or on building
SYMBOL
- White on Blue Bk.
- Locate at back of stall to be visible with car parked
STRIPING
- White
- Blue curb on street




DEPARTMENT OF CITY SERVICES

APPROVED


DATE

STANDARD DETAIL 602

Handicap
Parking Stall



Interior Lots



Corner Lots

NOTES

 Area of Limited Fence Height 42 Inch Max

All Other Locations Fence Height 6 Ft Max

Please contact the Building Department with any questions at 749-3904



DEPARTMENT OF CITY SERVICES

APPROVED

DATE

STANDARD DETAIL 603

General Fence Requirements